

### 4360/47 V DS MODEL

## **RUBBER** + **STEEL** HANGER WITH DIRECT FASTENING TO METAL CHANNEL TYPE **TC45/48**

The **4360/47 V DS** model is a **RUBBER + STEEL** hanger with locking device (**DS**) devised to provide quality to any given acoustic system and to eradicate sound frequencies and vibrations. This hanger get fastened into the channel easily and quickly thanks to our exclusive design. We are the only ones who can manufacture it.

The **4360/47 V DS** model is made of a high quality polymer (rubber) which provides improvements in the vibro-acoustic field. Its main use is to hang acoustic plasterboard ceilings using metal channels such as TC45/48.


The polymer of this hanger is **KRAIBURG-TP**, tested according to standard **UNE-EN ISO 10846-1:2009** (UNE: Spanish Association for Standardization). It reaches a resonance frequency of **7-15 Hz**.

\*This product has been registered in the Spanish Patents and Trademarks Office.





REF.	COLOUR	METRIC MIN-MAX	CHANNEL (mm)	LOAD (Kg) MIN-MAX	PACKING
SE-4360/47 VDS/30		6 - 8	45 - 48	8 - 30	30
SE-4360/47 VDS/100		6 - 8	45 - 48	8 - 30	100



### 4360/47 V DS MODEL






Chart 1


UNE-EN ISO 10846-1:2009 Laboratory test

Chart 2





LOAD (Kg).	DEFORMATION (mm)	RESONANCE FREQUENCY (Hz)	SWEEP (Hz)		SOUNDPROOFING LEVEL (%)	
11	4,011	9,95	25	50	81,18	95,88
14	5,002	9,25	25	50	84,14	96,46
17	6,012	8,30	25	50	87,61	97,17
20	7,213	7,85	25	50	89,06	97,47
23	7,969	7,45	25	50	90,25	97,73
26	9,178	8,20	25	50	87,94	97,24










\*SENOR Aisladores Acústicos

# 4360/47 V DS MODEL








### 4360/47 V DS MODEL

\*SENOR Aisladores Acústicos



#### Test date:

28 June 2021 SENOR

#### Failure mode

This hanger exceeds the elastic limit of ceiling channel by reaching **201,40 kg**.

The burst test is concluded.

#### Conclusion

Standardization).

This acoustic hanger is designed to bear loads between **8-30kg** (maximum load)

It strictly complies with standard UNE-EN 13964:2016/A1:
Suspended ceiling.
Requirements and test methods.
(UNE: Spanish Association for

